



Asthma Management Policy



Help for non-English speakers [Interpreting and Translation Services](#).

If you need help to understand the information in this policy, please contact Whittlesea Secondary College General Office Ph. (03) 9719-1200.

Purpose:

To ensure that Whittlesea Secondary College appropriately supports students diagnosed with Asthma.

Objective:

To explain to Whittlesea Secondary College parents/carers/kin, College staff, and College students the processes and procedures in place to support students diagnosed with Asthma.

Scope:

This policy applies to:

- all College staff, including casual relief staff, contractors and volunteers.
- all students who have been diagnosed with Asthma or who may require emergency treatment for Asthma and their parents/carers/kin.

Policy:

Asthma

Asthma is a long-term lung condition. People with asthma have sensitive airways in their lungs which react to triggers, causing a 'flare-up.' In a flare-up, the muscles around the airway squeeze tight, the airways swell and become narrow and there is more mucus. This makes it hard to breathe. An Asthma flare-up can come on slowly (over hours, days or even weeks) or very quickly (over minutes). A sudden or severe asthma flare-up is sometimes called an Asthma Attack.

Symptoms

Symptoms of Asthma can vary over time and often vary from person to person. The most common Asthma symptoms are:

- breathlessness
- wheezing (a whistling noise from the chest)
- tight feeling in the chest
- persistent cough

Symptoms often occur at night, early in the morning or during/just after physical activity. If Asthma is well controlled, a person should only have occasional Asthma symptoms.



Triggers

A trigger is something that sets off or starts Asthma symptoms. Everyone with Asthma has different triggers. For most people with Asthma, triggers are only a problem when Asthma is not well controlled with medication. Common Asthma triggers include:

- exercise
- smoke (cigarette smoke, wood smoke from open fires, burn-offs or bushfires)
- house dust mites
- pollens
- chemicals such as household cleaning products
- food chemicals/additives
- laughter or emotions, such as stress
- colds/flu
- weather changes such as thunderstorms and cold, dry air
- moulds
- animals such as cats and dogs
- deodorants (including perfumes, after-shaves, hair spray and aerosol deodorant sprays)
- certain medications (including aspirin and anti-inflammatories)

Individual Asthma management

If a student diagnosed with Asthma enrolls at Whittlesea Secondary College:

1. Parents/carers/kin must provide the College with an Asthma Action Plan which has been completed by the student's medical practitioner. The plan must outline:
 - the prescribed medication taken by the student and when it is to be administered, for example as pre-medication to exercise or on a regular basis,
 - emergency contact details,
 - the contact details of the student's medical practitioner,
 - the student's known triggers,
 - the emergency procedures to be taken in the event of an Asthma flare-up or attack.
2. Whittlesea Secondary College will print the students compass photo and attach it to the Students Asthma Action Plan.
3. Whittlesea Secondary College will keep all Asthma Action Plans:
 - First Aid Office plus logged on COMPASS



4. A student with an Asthma Action Plan only requires a Student Health Support Plan if their asthma is **not** well-controlled, and needs individualised medical or health-related supervision, care or adjustments at school. College staff will work with parents/carers/kin to develop a Student Health Support Plan which will include details on:
 - how the College will provide support for the student
 - identify specific strategies
 - allocate College staff to assist the student
 - Any Student Health Support Plan will be developed in accordance with Example School's Health Care Needs Policy.
5. If a student diagnosed with asthma is going to attend a College camp or excursion, Whittlesea Secondary College parents/carers/kin are required to provide any updated medical information.
6. If a student's Asthma condition or treatment requirements change, parent/carers/kin must notify the College and provide an **updated Asthma Action Plan**.
7. Once a year College staff will review Asthma Action Plans (and if relevant, Student Health Support Plans) and communicate with the parents/carers to:
 - if available, provide updated medical or health advice
 - review and provide written confirmation that the Asthma Action Plan is still current.

Student Asthma Kit

All students diagnosed with Asthma are required to have a student Asthma kit at the College which contains:

- Their own prescribed reliever medication is clearly labelled with the student's name
- their spacer (if they use one)

Student asthma kits supplied by the student will be stored in the First Aid Office.

Students can also choose to keep their asthma kits with them while at Whittlesea Secondary College.

Asthma emergency response plan:

If a student is:

- having an asthma attack
- difficulty breathing for an unknown cause, even if they are not known to have asthma

College staff will endeavour to follow the Asthma First Aid procedures outlined in the table below. College staff may contact Triple Zero "000" at any time.



Step	Actions:
1.	Sit the person upright • Be calm and reassuring • Do not leave them alone • Seek assistance from another staff member or reliable student to locate the student's reliever, the Asthma Emergency Kit and the student's Asthma Action Plan (if available). • If the student's action plan is not immediately available, use Asthma First Aid as described in Steps 2 to 5.
2.	Give 4 separate puffs of blue or blue/grey reliever puffer: • Shake the puffer • Use a spacer if you have one • Put 1 puff into the spacer • Take 4 breaths from the spacer Remember – Shake, 1 puff, 4 breaths
3.	Wait 4 minutes • If there is no improvement, give 4 more separate puffs of blue/grey reliever as above (or give 1 more dose of Bricanyl or Symbicort inhaler)
4.	If there is still no improvement call Triple Zero "000" and ask for an ambulance. • Tell the operator the student is having an asthma attack • Keep giving 4 separate puffs every 4 minutes until emergency assistance arrives (or 1 dose of Bricanyl or Symbicort every 4 minutes – up to 3 doses of Symbicort)
5.	If asthma is relieved after administering Asthma First Aid, stop the treatment and observe the student. Notify the student's emergency contact person and record the incident.



College Staff will call Triple Zero “000” immediately if:

- the student is not breathing
- the student is having a severe or life-threatening attack (reliever medication not working at all; cannot speak a full sentence; extreme difficulty breathing; feeling asthma is out of control; lips turning blue)
- the student is having an asthma attack and a reliever is not available
- the student is known to have anaphylaxis – staff will follow their Anaphylaxis Action Plan then give asthma first aid
- at any time the student’s condition suddenly worsens or is not improving
- staff are otherwise concerned about the student’s health and safety.

Training for staff

Whittlesea Secondary College will arrange the following asthma management training for staff:

Staff	Completed by	Course	Provider	Cost	Valid for:
Group 1 General Staff	College staff with a direct teaching role with students affected by asthma or other College staff directed by the principal after conducting a risk assessment.	Asthma First Aid for Schools (non-accredited) One hour online training.	Asthma Australia	Free to all schools	3 years
Group 2 Targeted Staff	Staff working with high risk children with a history of severe asthma, or with direct student wellbeing responsibility (such as nurses, first aid officers, camp organisers) or in high-risk teaching areas (such as PE/sport, home economics or cooking teachers)	<i>Course in the Management of Asthma Risks and Emergencies in the Workplace 22556VIC</i> (accredited)	Any RTO that has this course in their scope of practice	Paid by Whittlesea Secondary College	3 years



Whittlesea Secondary College will also conduct an annual briefing for staff on:

- The procedures outlined in this policy
- The causes, symptoms, and treatment of Asthma
- Identities of the students diagnosed with Asthma
- How to use a puffer and spacer
- the location of:
 - Asthma Emergency Kits
 - Asthma medication which has been provided by parents for student use

Whittlesea Secondary College will also provide this policy to casual relief staff and volunteers who will be working with students and may also provide a briefing if the principal decides it is necessary depending on the nature of the work being performed.

Asthma Emergency Kit

Whittlesea Secondary College will provide and maintain at least two Asthma Emergency Kits. One kit will be kept on College premises in the Main Office, and one will be a mobile kit for activities such as:

- Yard Duty
- Camps and Excursions
- Special Activities

Whittlesea Secondary College has additional kits for every 300 students located in the Main Office and First Aid Office.

The Asthma Emergency Kit will contain:

- at least 1 blue or blue/grey reliever medication such as Airomir, Asmol or Ventolin
- at least 2 spacer devices (for single person use only) to assist with effective inhalation of the blue or blue/grey reliever medication (Whittlesea Secondary College will ensure spare spacers are available as replacements). Spacers will be stored in a dust proof container.
- clear written instructions on Asthma First Aid, including:
 - how to use the medication and spacer devices
 - steps to be taken in treating an asthma attack

A record sheet/log for recording the details of an Asthma first aid incident, such as the number of puffs administered will be recorded.



The First Aid Officer will monitor and maintain the Asthma Emergency Kits. They will:

- Ensure all contents are maintained and replaced where necessary
- Regularly check the expiry date on the canisters of the blue or blue/grey reliever puffers and replace them if they have expired or are low on doses
- Replace disposable spacers in the Kits after each use (disposable spacers are single person use only)
- Dispose of any previously used spacers.

The blue or blue/grey reliever medication in Asthma Emergency Kits may be used by more than one student if they are used with a spacer. If the devices come into contact with someone's mouth, they will not be used again and will be replaced.

After each use of a blue or blue/grey reliever (with a spacer):

- Remove the metal canister from the puffer (do not wash the canister)
- Wash the plastic casing
- Rinse the mouthpiece through the top and bottom under running water for at least 30 seconds
- Wash the mouthpiece cover
- Air dry then reassemble
- Test the puffer to make sure no water remains in it, then return to the Asthma Emergency Kit.

Management of confidential medical information:

Confidential medical information provided to Whittlesea Secondary College to support a student diagnosed with asthma will be:

- Recorded on the student's file
- Shared with all relevant staff so that they can properly support students diagnosed with asthma and respond appropriately if necessary.

Epidemic Thunderstorm Asthma

Whittlesea Secondary College will be prepared to act on the warnings and advice from the Department of Education and Training when the risk of epidemic thunderstorm asthma is forecast as high.



Communication:

This policy will be communicated to our school community in the following ways:

- Available publicly on our College's website
- Included in Whittlesea Secondary College staff induction processes and staff training
- Included in Whittlesea Secondary College staff handbook/manual
- Discussed at staff briefings/meetings
- Included in transition and enrolment packs
- Discussed at parent information nights/sessions
- Reminders on COMPASS
- Hard copy available from College administration upon request

Further Information and Resources:

- Asthma Australia: [Resources for schools](#)
- Policy and Advisory Library:
 - [Asthma](#)
 - [Treating an asthma attack](#)
 - [Whittlesea Secondary College First Aid Policy](#)
- See Appendix 1: First Aid Map

Policy Review :

Policy last reviewed	August 2026
Consultation	First Aid Officer, College Nurse, Principal Team.
Approved by	Principal
Next scheduled review date	August 2027



Appendix 1.

Whittlesea Secondary College

